


wherein:



R¹ is ; and

R² is , , or ,

or an acid addition salt thereof.--

--2. (Twice amended) The compound of formula 1 according to claim 1, wherein:

b1
R² is ,

or an acid addition salt thereof.--

--3. (Twice amended) The compound of formula 1 according to claim 1, wherein:

b2
R² is ,

--5. (Twice amended) The compound of formula 1 according to claim 1, wherein:

b2
R¹ is ; and

R² is ,

or an acid addition salt thereof.--

b3
--11. (Twice amended) The compound according to one of claims 1, 2, 3, 5, 8, 9, or 10, wherein the acid addition salt thereof is formed with a pharmacologically acceptable acid.--

B3
cont

--12. (Twice amended) A method of treating bronchial asthma, the inflammatory component in COPD, premature onset of labor in midwifery (tocolysis), atrio-ventricular block, bradycardiac heart rhythm disorders, circulatory shock, or itching and inflammation of the skin in a host in need of such treatment, the method comprising administering to the host the compound according to one of claims 1, 2, 3, 5, 8, 9, or 10.--

B4

--13. (Twice amended) A pharmaceutical composition comprising a compound according to one of claims 1, 2, 3, 5, 8, 9, or 10 and a conventional excipient or carrier.--

B4

--17. (Amended) A pharmaceutical composition comprising a compound according to claim 7 and a conventional excipient or carrier.--